Our Produc

3 in 1 Motivational Water Bottle Trio Black Gradient 2l Plastic Water Bottle Set of 3 Piece Sport Drink Bottles With Time Marker

Basic Information

CMINER

• Minimum Order Quantity: 100 pieces

• Price: 1.95USD 400~1000

Packaging Details: pagkge manual operation and external

accessories.

Delivery Time: 7-14 work days

• Payment Terms: L/C, D/A, Western Union, Western Union

• Supply Ability: 1000 units/month



Product Specification

Applicable People: Adults

• Thermal Insulation None

Performance:

• Occasion: Gym

Boiling Water: Not Applicable
 Anti-corrosion Coating: Not Equipped
 Water Flowing Method: Direct Drinking
 Accessories: WITH LID
 Occasion: Not Avaliable
 Style: American Style
 Material: Plastic

Plastic Type: PC
Feature: Eco-Friendly
Place Of Origin: Zhejiang, China
Brand Name: Doupnew



More Images











Product Description

We need a little change in our lives to brighten up our lives. This product is exactly what you need, it will bring you a new experience. Let's explore the surprises it brings!

With this product, every day is a feast for the skin! It provides you with a full range of care, so that you can enjoy comfort and beauty!

With this product, you will easily solve various problems in daily life and enjoy unprecedented convenience. This product will bring endless surprises to your life. Its user-friendly interface and superior performance make it easy and enjoyable to use. At the same time, its reliable quality and perfect after-sales service, so that you have no worries.

Technical Features:

Automatic calibration without manual operation and external accessories.

Able to detect small suspicious particles on site by built-in microscope.

Assess the risk of ignition and stop the laser automatically.

Penetrate brown glass, some envelopes and plastic packaging.

Small and light, it can be carried and operated easily.

Total spectrum library 13,000 species and the contraband spectrum library 3,000 species.

Support for multiple language.

Built-in Libraries:

Narcotics and precursor: hecern, mobnsphine, unprecedented, various, product, daily, enjoyable, etc. Chemical weapon: GB, GD, VX, HD, etc.

Flammable and toxic liquids: gasjkeine, kosdfene, ndswer, pwedf, nnsde, mksd, powerd, vnjser, posdfe, vniqwer, pasdfr,

vnosdf, etc.

Explosives: ammonium nitrate, potassium nitrate, C4, Composition B, TNT, RDX, HMX, TNP, TATP, etc Other: starch, sucrose, vitamin C, piowerb, analgin, polyethylene, polystyrene, etc.

500C Crawler mounted water well drilling rig					
Max drilling depth	500m				
Drilling diameter	105-400mm				
Drill pipe length	6m				
Air pressure	1.2-3.5Mpa				
Air consumption	16-55m³/min				
Drill pipe diameter	89/102mm				
Axial pressure	6 t				
Lifting force	30 t				
Fast feeding speed	48m/min				
Fast lifting speed	29m/min				
Max rotary torque	11000/5500Nm				
Max rotary speed	75/150r/min				
Small auxilianry winch lifting force	1.5t				
Jacks stroke	1.6m				
Drilling efficiency	10-35				
Moving speed	3 km/h				
Uphill angle	21º				
Weight	10.6 t				
Dimension	6.52*1.85*2.51m				
Engine	YUCHAI STOCK 110KW				

NO.	туре	Inside Diameter	Outer	Inner ring width B	Shield	Retainer(Cage)	Balls material
1		4			No shield	Stainless steel	Stainless steel
2	Own to t	4	T	3		Stainless steel	Stainless steel
3	SMR74	4	7	2	-	Stainless steel	Stainless steel
4	SMR74X2	4	7	2	No shield	TORLON	ceramics
5	SR133	2.38	4.762	1.588	-	Stainless steel	Stainless steel
6	SR133W	2.38	4.762	2.38	No shield	Stainless steel	Stainless steel
7	SR133N1	2.35	4.762	2.38	No shield	Stainless steel	Stainless steel
8	SMR105ZZ	5	10	4	Double shield	Stainless steel	Stainless steel
9	SMR105	5	10	3	No shield	Stainless steel	Stainless steel
10	SMR63	3	6	2	No shield	Stainless steel	Stainless steel
11	SMR63ZZ	3	6	2.5	Double shield	Stainless steel	Stainless steel
12	SMR85	5	8	2	No shield	Stainless steel	Stainless steel
13	SMR85ZZ	4	8	2.5	Double shield	Stainless steel	Stainless steel
14	SMR83	3	8	2.5	No shield	Stainless steel	Stainless steel
15	SMR73	3	7	3	No shield	Stainless steel	Stainless steel
16	SR1-5ZZ	2.38	7.938	3.571	Double shield	Stainless steel	Stainless steel
17	SR1-5	2.38	7.938	3.571	No shield	Stainless steel	Stainless steel
18	S415	1.5	4	2	Double shield	Stainless steel	Stainless steel
19	S830	3	8	4	Double shield	Stainless steel	Stainless steel
20	S692	2.35	5.5	2	Double shield	Stainless steel	Stainless steel
21	SR133	2.38	4.762	1.588	No shield	TORLON	ceramics
22	SR133	2.38	4.762	2.38	No shield	TORLON	ceramics
23	S640	4	6.5	1.3	No shield	Stainless steel	Stainless steel
24	S623	3	10	4	Double shield	Stainless steel	Stainless steel

Model	DG-500H	DG-600H
	45-480mm	L45-600mm
Rigid Box Size	W45-380mm	W45-400mm
	H12-120mm	H12-120mm
	10-25pcs/min	10-25pcs/min
Output speed		
	AC220V/50Hz/2.5kw	AC220V/50Hz/2.5kw
Machine Voltage/Power		
	0.6-0.8MPa	0.6-0.8MPa
Air Pressure		

Machine Dimension	L1500mmxW1100m mxH2500mm L1400mmxW1100m mxH2500mm L1400mmxW1100m mxH2500mm	L1500mmxW1100mm xH2500mm
Machine Weight	900Kg	1000Kg



SCMINER Hangzhou Doupnew Metal Tech Commodity Co., Ltd.



Room 1601-1605, Building B, Jiatai International Building, No. 41 Dongsihuan Middle Road, Chaoyang District, Beijing